

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. North-West/1-2813906805/2016/EOA/Corrigendum-1

Date: 26-May-2016

Corrigendum

To, The Financial Commissioner & Principal Secretary (Technical) Govt. of Haryana, Room No. 503/5, Sector -17 New Secretariat, Chandigarh-160017

Sub: Extension of approval for the academic year 2016-17.

Ref: Application of the Institution for Extension of Approval for the Year 2016-17

EOA Issued on F.No. North-West/1-2813906805/2016/EOA 25-Apr-2016

EOA Printed on F.No. North-West/1-2813906805/2016/EOA

Corrigendum 1 F.No. North-West/1-2813906805/2016/EOA/Corrigendum-1 26-May-2016

Sir/Madam,

In partial modification of the letter F.No. North-West/1-2813906805/2016/EOA and in terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	North-West	Application Id	1-2813906805
Name of the Institute	JIND INSTITUTE OF ENGINEERING & TECHNOLOGY	Permanent Id	1-1708512281
Name of the Society/Trust	JIND EDUCATION TRUST	Institute Address	NEAR HUDA SECTOR 9, PANIPAT ROAD JIND, JIND, JIND, Haryana, 126102
Institute Type	Unaided - Private	Society/Trust Address	158/19 VIVEKANAND NAGAR JIND
			158/19 VIVEKANAND NAGAR JIND,JIND,JIND,Haryana,126102

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

Application Number: 1-2813906805 Note: This is a Computer generated Report.No signature is required.

Page 1 of 4 Letter Printed On:12 June 2016

Printed By : aicn006943



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

Application Number: 1-2813906805 Note: This is a Computer generated Report.No signature is required.

Printed By: aicn006943

Page 2 of 4 Letter Printed On:12 June 2016



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

To conduct following courses with the intake indicated below for the academic year 2016-17*

To conduct following courses with the intake indicated below for the academic year 2016-17*										
Application Id: 1-2813906805		Course		Affiliating Body		d for	atus	quota	wining /al	
Program	Shift	Level		Full/Part Time		Intake 2015-16	Intake Approved for 2016-17	NRI Approval status	PIO / FN / Gulf quota Approval status	Foreign Collaborarion/Twining Program Approval status
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	COMPUTE R SCIENCE & ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	24	24	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	POS T GRA DUA TE	ELECTRIC AL ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	24	24	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	CIVIL ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	60	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	COMPUTE R SCIENCE & ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	60	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	ELECTRIC AL ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	120	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	ELECTRON ICS AND COMMUNI CATIONS ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	60	60	NA	NA	NA
ENGINEERIN G AND TECHNOLO GY	1st Shift	UND ER GRA DUA TE	MECHANIC AL ENGINEERI NG	FULL TIME	Kurukshetra University, Kurukshetra	120	60	NA	NA	NA

^{*}Corrigendum for-

The above mentioned approval is subject to the condition that JIND INSTITUTE OF ENGINEERING & TECHNOLOGY shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

Application Number: 1-2813906805 Note: This is a Computer generated Report.No signature is required. Page **3** of **4** Letter Printed On:12 June 2016

Printed By: aicn006943

^{1.} Reduction in Intake



7th Floor, Chandralok Building, Janpath, New Delhi- 110 001 PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Prof. Alok Prakash Mittal Member Secretary, AICTE

Copy to:

1. The Regional Officer,

All India Council for Technical Education

Plot No. 1310, Sector 42-B Chandigarh-160 036

2. The Director Of Technical Education,

Haryana

3. The Principal / Director,

JIND INSTITUTE OF ENGINEERING & TECHNOLOGY NEAR HUDA SECTOR 9, PANIPAT ROAD JIND, JIND,JIND, Haryana,126102

4. The Secretary / Chairman,

JIND EDUCATION TRUST 158/19 VIVEKANAND NAGAR JIND

158/19 VIVEKANAND NAGAR JIND, JIND,JIND, Haryana,126102

5. Guard File(AICTE)

Application Number: 1-2813906805 Note: This is a Computer generated Report.No signature is required. Page 4 of 4 Letter Printed On:12 June 2016

Printed By: aicn006943